

**DIRECTORATE OF EXPORT PROMOTION AND MARKETING, ODISHA,
RAPTANI BHAWAN, 1st FLOOR, NAYAPALLY, BHUBANESWAR – 15
Phno-(0674-2552675) Email-depm@nic.in Web-www.depmodisha.nic.in**

No. DEPM-RC-MISC-0039-2024 (VIEMM-05/25)/1045/EPM, Dt. 24.02.2026

To

- .. All Departments of Government / All Heads of Departments /
All State Owned Corporations and Undertakings including GRIDCO.

Sub: **Revision of rate contract rate (up-ward) in respect of the store item “ISI marked UPVC Casing pipes as per I.S. No.12818/2010”.**

Ref: This Directorate rate contract circulars No.4720/EPM dt.11.11.2025, No. 5035/EPM dt. 27.11.2025, No. 5208/EPM dt.09.12.2025, No. 5492/EPM dt. 23.12.2025, No. 5579/EPM dt. 30.12.2025

The undersigned is to invite reference to this office rate contract circulars cited above on the noted subject and to say that consequent upon **increase** in the cost of raw materials this Directorate after careful consideration has revised (**up-ward**) the rate in respect of the store item “**ISI marked UPVC Casing pipes as per I.S. No.12818/2010**”.valid up to **dt.18.09.2026** at the revised (**up-ward**) rate in favor of **15 (Fifteen)** nos. of MSEs of the State with effect from the date of issue of the circular.

2. The details of the above **rate contract indicating the name of the rate contract holding SSI Units, EP&M Registration, Rate Contract No., Validity of EP&M Registration & EP&M Rate Contract for this store item, Nominal outer diameter of pipes for which rate contract granted, Total Annual Production Capacity in single shift basis for all types of PVC pipes Description of the store item, rates, terms of delivery and Mode of Payment etc.** have been indicated in the Statement-A, which is enclosed for your reference..

3.The Indenting Department must ensure submission of **valid EP&M registration certificate, Goods & Service Tax(GST) registration certificate, BIS license** for the above at the time of purchase of store item.

4. The specification of “**ISI marked UPVC Casing pipes as per I.S. No.12818/2010**”, terms of delivery and all other terms and conditions of the rate contract as communicated earlier in the aforesaid rate contract circulars will remain un-altered and also be applicable to the rate contract holding SSI units as indicated in Statement- “A”.

5. Purchasing Departments should obtain an undertaking from the rate contract holders to the effect that after execution of purchase order of the concerned Department the unit shall not exceeds its annual production capacity.

6. As per Rules of Rate Contract 2014, Clause – 20 (V), in case the contractor fails to execute the order within the prescribed / mutually agreed time schedule liquidate damage @ 0.5% per week of the value of the quantum of materials involved in the delay subject to maximum 2.5 % shall be realized from the contractor by the indenting officer from the bill.

7. The ultimate responsibility for ensuring quality of stores supplied be rest with the Indenting Officers. Where the Indenting Officer is not satisfied with the quality of the store items supply, he shall send a report immediately to the Director for inspection and testing by the Inspecting Officer of CIPETor jointly by the Inspecting Officer of CIPETand the Indenting Officer or his authorized agent.

8. This may please be brought to the notice of all Sub-ordinate Offices for information and necessary action at their level.

9.Receipt of the communication may please be acknowledged.


DIRECTOR 23/2/26

Memo No. **1046** /EPM., Dt. **24.02.2026**

Copy forwarded to A.G. (Audit-I) & (Audit-II), Odisha, Bhubaneswar / Principal, A.G. (A&E), Odisha, Bhubaneswar / Senior DAG (Works Audit), Odisha, Dhenkanal Building, Po/Dist-Puri / Resident Audit Officer, Indravati Project, Po-Khatiguda, Dist-Nabarangpur, Odisha for information and necessary action

Joint Director (Rate Contract)

File
23/2/26

Memo No. **1047** /EPM., Dt. **24.02.2026**

Copy forwarded to all Collectors / General Managers, All District Industries Centers for information and necessary action.

Joint Director (Rate Contract)

File
23/2/26

Memo No. **1048** /EPM., Dt. **24.02.2026**

Copy to Central Government undertakings in the State/The General Manager (Materials), NALCO Ltd., Nalco Bhavan Nayapalli, Bhubaneswar-751061/Technical Director, NIC, Bhubaneswar for information and necessary action.

Joint Director (Rate Contract)

File
23/2/26

Memo No. **1049** /EPM., Dt. **24.02.2026**

Copy forwarded to the MSEs concerned for information and guidance.

Joint Director (Rate Contract)

File
23/2/26

Memo No. **1050** /EPM., Dt. **24.02.2026**

Copy forwarded to all Industries Associations for information and necessary action.

Joint Director (Rate Contract)

File
23/2/26

Memo No. **1051** /EPM., Dt. **24.02.2026**

Copy forwarded to all Testing Laboratories of EP&M / Registration / Inspection / Statistics / Export / Marketing / Library / Rate Contract Section / P. A. to Director / News Letter Cell / All Officers / Computer Cell / Guard File Rate Contract / Deputy Director (Marketing) In-charge of Website for information and necessary action.

Joint Director (Rate Contract)

File
23/2/26

Memo No. **1052** /EPM., Dt. **24.02.2026**

Copy forwarded to the F.A.-cum-Additional Secretary to Government, H&UD Department, Odisha, Bhubaneswar / F.A.-cum-Additional Secretary to Government, R.D. Department, Odisha, Bhubaneswar / Engineer-in-chief, RWS&S, Odisha, Bhubaneswar / Engineer-in-Chief, P.H. (Urban), Odisha, Bhubaneswar / M.D., OLIC Ltd., Odisha, Bhubaneswar / Chief Project Manager, CIPET, Odisha, Bhubaneswar for information and necessary action.

Joint Director (Rate Contract)

File
23/2/26

Memo No. **1053** /EPM., Dt. **24.02.2026**

Copy forwarded to the Scientist 'F' & Head, Bureau of Indian Standard, 62/63, Ganganagar, Unit-VI, Bhubaneswar-751001 for information and necessary action.

Joint Director (Rate Contract)

File
23/2/26

Memo No. **1054** /EPM., Dt. **24.02.2026**

Copy forwarded to the Additional Secretary to Government, MSME Department, Odisha Bhubaneswar-751061 for information and necessary action.

Joint Director (Rate Contract)

File
23/2/26

STATEMENT - "A"

Sl No	Name of the Rate Contract holding MSEs	EP&M Regn. No.	Rate Contract No.	Period of validity of EPM Registration	Validity of EPM Rate contract	Nominal sizes of the pipes for which rate contract has been concluded against each firm	Total annual production capacity in single shift basis for all types of PVC Pipes
1	M/s Ganapati Pipes & Industries Pvt. Ltd., At-Gahira, Similia, Po-Basta, Dist-Balasore-756029	0070	09-RP-02/04/ISI marked UPVC casing Pipes as per IS: 12818/2010/2025-26/01	28.02.2026	28.02.2026	CM - 40mm, to 200 mm. CS-150 mm, to 200mm.	1728 MT
2	M/s. Krishna Plast Pipes (P) Ltd., At-Industrial Estate, Rly. Station Road, Dist: Baragarh-768 028. PLAST PIPES PVT LTD	0033	-do-/02	31.03.2026	31.03.2026	CM - 40mm, to 200 mm. CS-150 mm, 175mm & 200mm.	3168 MT
3	M/s. Metro Plast Industries, At-NH-5, Chhanpur, kuruda, Remuna, Balasore-756056.	0002	-do-/03	27.05.2026	27.05.2026	CM - 40 mm to 200 mm. CS-150 mm, 175 mm & 200mm	1248 Tonnes

[Handwritten Signature]
23/12/26

Joint Director (Rate Contract)

SI No	Name of the Rate Contract holding MSEs	EP&M Regn. No.	Rate Contract No.	Period of validity of EPM Registration	Validity of EPM Rate contract	Nominal sizes of the pipes for which rate contract has been concluded against each firm	Total annual production capacity in single shift basis for all types of PVC Pipes
4	M/S Maa Bhagabati Pipes Pvt Ltd , At- Plot No-1132,At- Harekrushna Pur,Po- Hirma,Ps- Badmal,, Dist- Jharsuguda, Block- Jharsuguda, Pin- 768202	0003	09-RP-02/04/ISI marked UPVC casing Pipes as per IS: 12818/2010/ 2025-26/04	09.06.2026	09.06.2026	CS- 250 mm	480000 KG
5	M/s. M K Plast Private Ltd, ,At-IDCO Plot No-3A, Ramdashpur Industrial Estate, Po- Baranga, Dist- Cuttack- 754006	0060	-do-/05	27.04.2027	18.09.2026	CM – 35 mm to 400 mm. CS – 150 mm to 400 mm.	480 MT
6	M/s. Sidhivinayak Polyplast (Pvt.) Ltd., At- Bishalkhinda, Via- Sasan, Dist.Sambalpur Pin – 768200.	0110	-do-/06	31.07.2028	18.09.2026	CM – 35mm, to 200 mm. CS-150 mm to 200mm	2904 MT

ph
23/2/26
Joint Director (Rate Contract)

Sl No	Name of the Rate Contract holding MSEs	EP&M Regn. No.	Rate Contract No.	Period of validity of EPM Registration	Validity of EPM Rate contract	Nominal sizes of the pipes for which rate contract has been concluded against each firm	Total annual production capacity in single shift basis for all types of PVC Pipes
7	M/s. Swasteek PVC pipes, AtSanakusastali,P.O. Badakusastali,Block-Rangeilunda, Dist.-Ganjam.	0052	09-RP-02/04/ ISI marked UPVC casing Pipes as per IS: 12818/2 010/ 2025-26/07	16.12.2026	18.09.2026	CM -200 mm. CS-150 mm, 175 mm & 200mm CD - 200 mm	1800 MT
8	M/s Tayal Poly plast. At- Deng sargiRoad, Po-Baripali Sambalpur.768006	0030	-do-/08	24.10.2028	18.09.2026	CM – 35mm, to 200 mm. CS-150 mm ,175mm & 200mm	480 MT
9	M/S Lingaraj Pipes Private Limited, At-Idco Plot No. A/12, Sarua Industrial Estate, Sarua, Khudha. Bhubaneswar, Pin-751010	0183	-do-/09	31.08.2026	31.08.2026	CM - 40 mm.,CM - 50 mm.,CM - 100 mm.,CM - 125 mm.,CM - 150 mm.,CM -200 mm.,CS- 150 mm ,CS- 175 mm ,CS- 200 mm	2784MT
10	Shree Shyamji Polyplast, At- Plot No.164, Ganeshpur, Sindhurpur, Binika, Subarnapur-767019,	0250	-do-/10	23.08.2028	18.09.2026	CS- 150 mm ,CS- 175 mm ,CS- 200 mm ,CS250 mm ,CS- 300 mm ,CS- 350 mm ,CS- 400 mm	456MT
11	MG Plasto Private Limited, Plot NO. 1029/1934, Ganesh Mandap Chhaka, Jharapada, Bhubaneswar, Odisha-751006	0244	-do-/11	11.01.2027	18.09.2026	CM -200 mm.,CS- 200 mm	2079MT

[Handwritten Signature]
23/2/26

Joint Director (Rate Contract)

Sl. No.	Name of the Rate Contract holding MSEs	EP & M Re gn. No.	Rate Contract No.	Period of validity of EPM Registration	Validity of EPM Rate contract	Nominal sizes of the pipes for which rate contract has been concluded against each firm	Total annual production capacity in single shift basis for all types of PVC Pipes
12	JAY SRI RAM INDUSTRIES, Backside of ECOM Express A Courier Service, Plot No. 1628, 1632/6664, 1633, Hirakud Road, Remed, Sambalpur, Odisha	0225	09-RP-02/04/ISI marked UPVC casing Pipes as per IS: 12818/2010/ 2025-26/12	28.03.2026	28.03.2026	CM - 100 mm.,CM - 115 mm.,CM -125 mm.,CM -150 mm., CM - 175 mm.,CS-150 mm,CS-175 mm ,CS-200 mm,CS-250 mm,CS300 mm,CS-350 mm,CS- 400 mm	2400MT
13	M/S Gayatri Pipes And Fittings, At- Idco Plot No. M-40, M-41 And M-42, Industrial Estate Choudwar, Dist- Cuttack, Pin- 754025	0270	-do-/13	25.07.2026	25.07.2026	CM-200 mm.,CM - 250 mm., CM- 300 mm.,CM -350 mm.,CM-400 mm.,CS-150 mm, CS-175 mm ,CS-200 mm,CS-250 mm,CS300 mm,CS-350 mm,CS-400 mm	1383 Tonne
14	M/S. Maa Durga Polyplast Private Limited, At- Plot No-26/14, Tankua, Jeypore, Koraput, Odisha, Block- Jeypore, Pin- 764001	0112	-do-/14	28.08.2026	28.08.2026	CS- 200 mm	1440MT
15	M/s Aman Technologies Pvt Ltd, At Teterkela, Badgudhiali, Rajgangpur, Dist- Sundargarh, Blockrajgangpur, Pin- 770031	0042	-do- /15	04.06.2026	04.06.2026	CM-100 mm.,CM-115 mm.,CM-125 mm.,CM-150 mm.,CM-175 mm.,CS-150mm,CS- 175 mm ,CS-200 mm	1600 Tonne

[Signature]
23/2/26
Joint Director (Rate Contract)

Sl. No.	Description of store item	Rate per Kg. (Rs.)
01	ISI Marked UPVC Casing Pipe for Bore / Tube Well conforming to IS : 12818/2010 with latest amendment as per detail specification enclosed in statement - "A"	Rs.98.93 (Rupees ninety eight and paisa ninety three) only.

STATEMENT- "A".

Technical specification of ISI Marked Un-plasticized PVC Casing Pipes for Bore/Tube Well conforming to IS: 12818/2010.

1. Description : Solid wall plain surface Un-plasticized PVC Casing Pipes for Bore/Tube Well classified under.

(i) CS Pipe. : Casing Pipes suitable for shallow wells with depths up to 80 m.

Sl No.	Nominal size (DN) in mm.
1.	150
2.	175
3.	200
4.	250
5.	300
6.	350
7.	400

(ii) CM Pipe. : Casing Pipes suitable for medium wells with depths above 80 m and up to 250 m.

Sl No.	Nominal size (DN) in mm.
1.	35
2.	40
3.	50
4.	80
5.	100
6.	115
7.	125
8.	150
9.	175
10.	200
11.	250
12.	300
13.	350
14.	400

phel
23/2/26

Joint Director (Rate Contract)

iii) CD Pipe. : Casing Pipes suitable for Deep wells with depths above 250 m and up to 450 m.

Sl No.	Nominal size (DN) in mm.
1.	100
2.	115
3.	125
4.	150
5.	175
6.	200
7.	250
8.	300
9.	350
10.	400

2. Composition/material: The pipes shall be produced from material consisting substantially polyvinyl chloride conforming to IS: 0151 and other materials as per Cl. 4.1 and Cl. 4.2 of IS: 12818/2010 complying to the standard.
3. Dimensions. :
 (i) The diameter and wall thickness for CM casing pipes shall be as per Table-5.
 (ii) The diameter and wall thickness for CS casing pipes shall be as per Table-6.
 (iii) The diameter and wall thickness for CD casing pipes shall be as per Table-7.
 (iv) Effective and segmental length of the casing pipes shall be as per Table-9.
4. Weight. : The weight per running meter shall be indicative of different classes (CS , CM & CD) and sizes of UPVC pipes on the basis of average density (1.43 g/cm²) as per IS.
 The pipe shall be of regular blue colour throughout.
5. Colour. :
 6. Threading. :
 (i) The casing pipes shall have male threads at spigot end and female threads at the socket end.
 (ii) Casing pipe of nominal diameter from 40 to 80 mm shall have threads in accordance with IS: 554.
 (iii) The casing pipes of nominal diameter 100 to 200 and 250 to 400 mm shall have threads in accordance with basic profile for metric trapezoidal threads as specified in Table 11 & Table-12 respectively..
 (iv) Sealing ring shall be supplied with the pipe with trapezoidal thread for nominal diameter 100 to 400 mm and shall be of elastometric material such as EPDM having shore hardness 65 ± 5. Dimension of the sealing ring shall be as per table-13.
 (v) Thread protector is to be provided to each pipe on male thread at spigot end to avoid transit damage.

f h d
23/02/26

Joint Director (Rate Contract)

7. Tests. : Casing pipe shall meet the requirement of tests prescribed in Cl. 9 of IS: 12818/2010.
8. Marking. : Each pipe shall be clearly and indelibly marked in red colour for CS pipe, yellow colour for CM pipe and green colour for CD pipe with the following:-
- (i) Manufacturer name and trade mark.
 - (ii) Letter "CM" or "CS" or "CD" as applicable.
 - (iii) Nominal diameter in mm.
 - (iv) Effective length of pipe in mm.
 - (v) Standard mark (ISI) ,
 - (vi) Batch/Lot No.

The rates recommended for fresh rate contract of "ISI marked UPVC Casing Pipes as per IS : 12818/2010" for different sizes of pipes along with their respective weight per meter is at Annexure-A. The threading charges and cost of thread protector per each pipe is at Annexure-B.

The rates for fresh rate contract are ex-factory, exclusive of GST, which may be charged extras, as admissible if any.

The transportation charges of store items under EPM rate contract will be determined by competent authority of the Indenting office as per Schedule of rate for conveyance of material of Works Department issued vide OM No. 6785 Dated 20.04.2023(Schedule of Rate-2022). This has been approved vide letter No. 649/MSME Dated 22.01.2025 of MSME Department.

Terms of delivery:


- a) The store item shall be ISI marked.
- b) Only ISI marked stores shall be supplied, BIS Licence would be valid at the time of supply of stores.
- c) Rate Contract of the SSI units will be automatically suspended/cancelled in case of the BIS Licence is suspended/cancelled.
- d) The ISI Certification mark, the name of the manufacturers or trademark only with Batch No., type of Pipes effectively and Nominal diameter of Pipes shall be Stencilled legible on each pipe with colour as specified.
- e) Any suspension/cancellation of BIS Licence shall be intimated to this Directorate/ Indentors by the contractor.

Time allowed for delivery of Pipes:

Minimum time for supply of goods and delivery schedule may be mutually decided between the Rate Contract Holder and the Indenting Officer.

Payment:

The buyer (Indenting Officer) shall make immediate payment of the dues payable to the suppliers against the supplies made under the rate contract. Payment should be made within 45 days from the receipt of the store failing which the buyer (Indenting Officer) shall be liable to pay the amount with interest thereon as per Section-15 & Section-16 of delayed payment to Micro and Small Enterprises under MSMED Act, 2006.


23/02/22
Joint Director (Rate Contract)

ANNEXURE-A

Statement of rates of various sizes of ISI marked UPVC casing pipe for
Bore/Tube well as per I.S. no 12818/2010(with latest amendment)

Rate per Kg-Rs: 98.93 (Rupees ninety eight and paisa ninety three)

Sl.No	Nominal Diameter in mm	"CM Pipes"		"CS Pipes"		"CD Pipes"	
		Wt/mtr* (in Kgs)	Amount(Rs)	Wt/mtr* (in Kgs)	Amount (Rs)	Wt/mtr* (in Kgs)	Amount (Rs)
1	35	0.655	64.79				
2	40	0.758	74.98				
3	50	1.093	108.13				
4	80	1.642	162.44				
5	100	2.627	259.88			3.587	354.86
6	115	2.920	288.87			4.269	422.33
7	125	4.190	414.51			5.099	504.44
8	150	5.729	566.76	4.421	437.36	7.136	705.96
9	175	8.090	800.34	6.501	643.14	10.849	1073.29
10	200	10.365	1025.40	8.108	802.12	13.381	1323.78
11	250	16.116	1594.35	12.666	1253.04	20.162	1994.62
12	300	22.023	2178.73	17.747	1755.71	28.271	2796.85
13	350	32.181	3183.66	25.911	2563.37	39.052	3863.41
14	400	40.334	3990.24	33.091	3273.69	48.082	4756.75

Ph
23/02/26
Joint Director (Rate Contract)

ANNEXURE-B

STATEMENT OF RATES OF THREADING CHARGES OF ISI MARKED UPVC CASING PIPE FOR BORE/TUBEWELL AS PER I.S. 12818/2010 ALONG WITH THREAD PROTECTOR AND RUBBER PROFILE RING

C.M.Pipes/C.S Pipes/C.D Pipes

Sl No	Nominal diameter in mm.	Cost of threading charges per pipe (Rs)	Cost of thread protector (Rs)	Cost of rubber profile ring per pipe (Rs)	Total Rate per pipe (Rs)
1	35	5.00	0.45	0.00	5.45
2	40	5.00	0.45	0.00	5.45
3	50	5.00	0.75	0.00	5.75
4	80	5.00	1.12	0.00	6.12
5	100	5.00	2.10	2.04	9.14
6	115	5.00	2.10	2.04	9.14
7	125	10.00	3.36	4.02	17.38
8	150	11.11	5.10	5.20	21.41
9	175	11.11	10.00	7.65	28.76
10	200	11.11	10.75	8.10	29.96
11	250	11.11	10.75	8.10	29.96
12	300	11.11	10.75	8.10	29.96
13	350	11.11	10.75	8.10	29.96
14	400	11.11	10.75	8.10	29.96

plw
23/2/24

Joint Director (Rate Contract)

